



# TURNKEY ELECTRIC LLC


Management • Critical Power Systems • Equipment Procurement • Facility Management • Emergency Contracts • Forward Deployment • Infrastructure Planning • Leasing Facilities • Engineering Project Consultation • Advanced Site Preparation • Full Service Integration • Management System Response • Maintenance Contracts • Plant Management • Engineering Services • Equity Partnerships

Power to the worldwide marketplace...



Special Features	pg. 2
Gas Turbine Driven Generators	pg. 3
Natural Gas, Dual Fuel, HFO Power Systems	pg. 5
Steam Turbine-Driven Condensing	pg. 6
Steam Turbine-Driven Non-Condensing	pg. 8
3 Phase AC Generators	pg. 9
Custom Built Mobile Power Modules	pg. 10

**International Power Wholesalers Tel: 1-603-362-6046 Toll: 1-800-939-7480**



## **SPECIAL FEATURED EQUIPMENT PIECES**

**Four (4) GE Frame 7EA Gas Turbines**  
81mW, 60Hz, Natural Gas, DLN, New 0 Hour

**One (1) GE LM 6000 PC Sprint Gas Turbine**  
50Hz Dual Fuel, Brand New, Available Immediately.

**Three (3) Pielstick HFO Power Generators**  
15mW Complete Power Plant, 60Hz, HFO  
Scheduled for rebuild to 0 hours.

**Three (3) GE LM 6000 PC Sprint Gas Turbines**  
60Hz Natural Gas, Like new less than 1500 hours.  
Full balance of plant included.

**One (1) Westinghouse Gas Turbine Power Plant**  
D Series 144mW, 50Hz, Dual Fuel, Balance of Plant.  
Brand New with Manufacturer's Warranty

**Two (2) GE Frame 6 Gas Turbines**  
60Hz Natural Gas, 6541 upgraded to 6561  
Rebuilt to 0 hours and available immediately.

**Eight (8) GE Frame 9E Gas Turbines**  
New, 123mW, 50Hz, Dual Fuel, Stacks Included.  
Built for High Ambient Temperatures. Available Now.

**One (1) Alstom Low Pressure Steam Turbine**  
1250mW, 60Hz / Conversion to 50Hz Available  
New, Never Installed, Ready to Ship

**Two (2) Siemens Model V94.2 Gas Turbines**  
120mW, 50Hz, Liquid Fuel, Can be NG Converted.  
Scheduled for rebuild to 0 hours.

**One (1) Mitsubishi HFO Power Generator**  
5200kW, Slow Speed, 720RPM, 60Hz, 3300V  
Scheduled for rebuild to 0 hours.

**Gas Turbine Driven Generators****Qty**

750 KW, SOLAR, No. T10205-44, IDEAL GEN, 4160 VOLT, 1800 RPM, TYPE SAB	1
800 KW, SOLAR SATURN GS1-SA-MA, 1980, 480 V/3/60 HZ, 1800 RPM, DIESEL, S/A	7
800 KW, SOLAR SATURN KS1-SA, 480/277 V/3/60 HZ, 1800 RPM	2
800 KW, SOLAR T-1001, 480 V/3/60 HZ, 1800 RPM, REFURBISHED, ENCLOSED, WARRANTY	2
885 KW, SOLAR SATURN GSC 1300, 480 V/3/60 HZ	2
930 KW, SOLAR SATURN T-1200, 600 V/3/60 HZ, 1800 RPM, NATURAL GAS, ENCLOSED	1
960 KW, SOLAR SATURN T1210R, 4160 V/3/60 HZ, 1800 RPM, OVERHAULED	1
1200 KW, PRATT & WHITNEY STL6-813, 4160 V/3/60 HZ, 1800 RPM, DUAL FUEL, ENCLOSED	1
1400 KW, KAWASAKI GPB15X, 480 V/3/60 HZ, 2004, S/A ENCL, HRSG, UNUSED, NAT GAS	1
1470 KW, Kongsberg, Gas/Oil, 3/60/4160V	2
1850 KW, PRATT & WHITNEY ST18, 4160 V/3/60 HZ, 1800 RPM, UNUSED	2
2000 KW, KAWASAKI MIT-01S, 3450 V/3/60 HZ, 1997, 1800 RPM, TWIN SET	1
2100 KW, ALLISON, 480 V/3/60 HZ, 1200 RPM, S/A ENCLOSURE	2
2150 KW, DRESSER RAND, 277/480 V/3/60 HZ, 1800 RPM, S/A ENCLOSURE	1
2200 KW, ALLISON 501 K14A, 1969, 480 V/3/60 HZ, 1200 RPM, OIL, ENCLOSED	1
2200 KW, Allison, Natural Gas, 3/60/480V	1
2500 KW, ALLISON, No. 501K14S, 1968, EMD GEN, 2400/4160 VOLT, 900 RPM, #2 OIL	1
2500 KW, Allison, Natural Gas, 3/60/2400-4160V	1
2500 KW, SOLAR CENTAUR, 40 T-4501, 4160 V/3/60 HZ	2
2500 KW, SOLAR CENTAUR T-4001, 6600 V/3/50 HZ, REFURBISHED, DUAL FUEL	1
2700 KW, SOLAR CENTAUR T4001, 480 V/3/60 HZ, 1800 RPM, MODULAR	2
3000 KW, KAWASAKI MIA-13, 4160 V, DUAL FUEL, HIGHWAY PORTABLE, NEW	14
3000 KW, VERICOR ASE40 VPS3, 13800 V/3/60 HZ, 2001, NATURAL GAS, ENCLOSED	2
3500 KW, ALLISON, No. 501-KB5, 4160 V, 1991, GAS	1
3500 KW, VERICOR VPS 4, 13200 V/3/60 HZ, 1800 RPM, NATURAL GAS, UNUSED	3
3618 KW, SOLAR CENTAUR H 5500, 1995, 13800 V/3/50 HZ, 1500 RPM, MOBILE	1
3800-4200KW Dresser Rand DC-900, Dual Fuel 3/60/4160-2400V	1
3800 KW, RUSTON NOMAD TB5000, 11000 V/3/50 HZ, MOBILE, DIESEL, OVERHAULED	2
3935 KW, SOLAR CENTAUR EH5501, 1990, 5500 V/3/50 HZ, 1500 RPM, S/P INDOOR	1
4000 KW, SOLAR, No. CENTAUR 50, 1995, 3/50 HZ	1
4200 KW, ALSTOM TYPHOON, 11000 V/3/50 HZ, 1998, DUAL FUEL, 1500 RPM	1
4200 KW, DRESSER-RAND DR-990 VT 4400, 1986, 4160 V/3/60 HZ, DUAL FUEL	1
4300 KW, SOLAR CENTAUR 50 T5900, 1999, 6000 V/3/50 HZ, 1500 RPM, NAT GAS	1
4350 KW EGT TYPHOON, 11000 V/3/50 HZ, 1994, DUAL FUEL, 1500 RPM	1
4500 KW, SOLAR TAURUS 60 T7001, 1995, 11000 V/3/50 HZ, 1500 RPM, TRI-FUEL	1
4750 KW, SOLAR TAURUS 60GS, 6600 V/3/50 HZ, 1500 RPM, NAPHTHA, UNUSED	1
4800 KW, SOLAR TAURUS 60, 1998, 6300 V/3/50 HZ, NATURAL GAS	1
4800 KW, SOLAR TAURUS, 60-T700, 50 HZ - 2	2
4840 KW, ROLLS ROYCE ALLISON CX501 KB7, 11000 V/3/50 HZ, 1500 RPM, 1996, DUAL	1
4861 KW, ALLISON 501 KB7, 10500 V/3/50 HZ, 1996, 1500 RPM	1
5000 KW, SOLAR TAURUS 60-7001, 11000 V/3/50 HZ, 1998, HRSG, DUAL FUEL	1
5022 KW, SOLAR TAURUS, DUAL FUEL, 1960	1
5200 KW, SOLAR, MOBILE POWER UNITS RENTAL OR PURCHASE	6
5200 KW, SOLAR TAURUS 60, 13200 V, 2001, 1800 RPM, MOBILE	2
5200 KW, SOLAR TAURUS 60, 13200 V/3/60 HZ, 1800 RPM, MOBILE	1
5200 KW, SOLAR TAURUS 60 IPG T7301S, 4160 V/3/60 HZ, 1800 RPM, NAT. GAS FUEL	1
5200 KW, Solar Taurus 60, Natural Gas, 3/60/13.8V (4160KW 3/50/11.5 KV)	1
6400 KW, SOLAR TAURUS 70, 13200 V/3/60 HZ, 1995, COGEN, NATURAL GAS, REFURB	1

**Gas Turbine Driven Generators - (continued)****Qty**

6450 KW, RUSTON TORNADO, 1988, 11000 V/3/50 HZ, 1500 RPM, DUAL FUEL	2
6752 KW, RUSTON/SIEMENS TORNADO,13800 V/3/60 HZ, 1987, 1800 RPM,DUAL FUEL	3
8900 KW, ROLLS ROYCE AVON 1533, 4160 V/3/60 HZ, 3600 RPM	1
10000 KW, GENERAL ELECTRIC LM-1500, 13800 V/3/60 HZ, DUAL FUEL, ENCLOSED	2
10300 KW, ROLLS ROYCE 1533-102L AVON MAXI, 1978, 13800 V/3/60 HZ, 1800 RPM	1
10700 KW, SOLAR MARS 100-15000, 12470 V/3/60 HZ, NATURAL GAS, ENCLOSED, UNUSED	1
11000 KW, ROLLS ROYCE AVON 1533-70/L, 1980,OIL, 11 KV/3/50HZ, ENCL	1
12000 KW, PRATT & WHITNEY JT 3C-6, 1969, 10500 V/3/50 HZ, 3000 RPM, KEROSENE	1
12500 KW, ROLLS-ROYCE AVON 1533-76G/14, 13800 V/3/60 HZ, DUAL FUEL, W/P ENCL	2
13400 KW, EGT TORNADO, 10500 V/3/50 HZ, 1996, CHP (6.2 MW GAS/7.2 MW STEAM)	1
13750 KW, GENERAL ELECTRIC MS5000L, 13800 V, 1966, 1200 RPM, NATURAL GAS	1
16370 KW, GENERAL ELECTRIC 5M, 13800 V/3/60 HZ, 3600 RPM, NATURAL GAS	1
16750 KW, GE FRAME 5-L, 1968, DUAL FUEL, 12500 V/3/60 HZ, 3600 RPM	2
17000 KW, ROLLS ROYCE OLYMPUS SK 30, 13800 V/3/60 HZ, 3600 RPM	1
17900 KW, GENERAL ELECTRIC MS5001M, 12600 V /3/60 HZ, 3600 RPM, DUAL FUEL	1
19500 KW, WESTINGHOUSE, No. 191W, DUEL FUEL, W-191G, 12 KV/3/60 HZ	1
20000 KW, Brown Boveri, Hago Heavy Atmospheric Oil Fired, Model GT11 3/60/13800V	1
20000 KW, GTE 20/55 ST, 6300-10500 V/3/50-60 HZ, 3000/3600 RPM, NEW, TRI-FUEL	1
20500 KW, GE, FRAME 5N, 13200 V, 3/60 HZ, OIL, 1971	1
1200 KW, Sulzer, Type 10, 13800 Volts 1100 hours since rebuild, Natural Gas	1
22000 KW, GE, No. LM2500PE, DUEL FUEL, 13800 V, 3/60 HZ, 1993	1
22000 KW, GENERAL ELECTRIC LM2500PE, 11500/13800 V, DUAL FREQUENCY, DUAL FUEL	1
22600 KW, GENERAL ELECTRIC LM2500PE, 13800 V/3/60 HZ, 3600 RPM, NEW ENGINE	1
22600 KW, SULZER TYP 10, 1986, 13800 V/3/60 HZ, 1800 RPM, GAS FUEL	1
22800 KW, GENERAL ELECTRIC LM2500PE, 13800, 3600 RPM, ENCL, REFURB, DUAL FUEL	1
26300 KW, GE, No. PG5371PA, 13800 V, 1988,DUEL, COGENERATION	1
28100 KW, ROLLS ROYCE OLYMPUS MK-2017, 11000 V/3/50 HZ, USED, TO BE REBUILT	1
37000 KW, EGT 6551B, 10500 V/3/50 HZ, 1998, 3000 RPM, COMBINED CYCLE	1
39600 KW, GENERAL ELECTRIC MS6001 6B, 1991, 13800 V/3/60 HZ, 3600 RPM, NAT GAS	1
40000 KW, GENERAL ELECTRIC LM 6000 SPRINT, 13800 V/60 HZ	5
41700 KW, HITACHI, No. PG6541, 13800 V, GAS, DLN	2
48000 KW, GE, No. LM5000, STIG, DUEL FUEL, 13800 V/3/60 HZ, 1993	1
48000 KW, WESTINGHOUSE, No. 251B11, 11500 V/3/50 HZ POWER BARGE	1
65000 KW, GENERAL ELECTRIC MS7000B, 13800 V/3/60 HZ, NATURAL GAS	6
70000 KW, GENERAL ELECTRIC PG6101 FA, 13800 V/3/60 HZ, GAS FUEL, NEW SURPLUS	1
84360 KW, GENERAL ELECTRIC PG7001EA, 13800 V/3/60 HZ, NATURAL GAS	4
105000 KW, WESTINGHOUSE, No. W501D5, Frame ECONOPAC, 1994, 13800 V/3/60HZ	1
146000 KW, PRATT & WHITNEY FT4-9DF/GG4A-2, 18800 V/3/60 HZ, 3600 RPM]	2
146250 KW, PRATT & WHITNEY HC4-8, 16000 V/3/60 HZ, 3600 RPM	1
168000 KW, MITSUBISHI M501F, & 195.5 MW MITSUBISHI STEAM TURBINE, UNUSED	1
100,000 KW, ABB, MODEL 11N, 3 phase, 60 cycle, 13,800 volts, oil fired New 1990	1



**Natural Gas, Dual Fuel, Heavy Fuel Oil Generators**

**Qty**

1260 KW, MITSUBISHI S12R-PTA-2, 2001, 480/277 V, 1800 RPM, DUAL FUEL, ENCL	1
1350 KW, MITSUBISHI S12R-PTAA-2, 2001, 480/277, 1800 RPM, DUAL FUEL, ENCL	1
1400 KW, CATERPILLAR G3516, 2003, 4160 V/3/60 HZ, S/A ENCLOSURE, NAT GAS	1
1400 KW, MITSUBISHI, S12R-PTA-2, 2001, 480/277 V/3/60 HZ, 1800 RPM DUAL FUEL	1
1500 KW, MITSUBISHI, S12R-PTAA-2, 2001, 480/277 V/3/60 HZ, 1800 RPM, DUAL FUEL	1
1600 KW, NORDBERG FSG-138-HSC, 4160 V/3/60 HZ, 514 RPM	6
1730 KW, RUSTON GEC 12RK 270GS, 11000 V/3/50 HZ, RECIP ENGINES, NATURAL GAS	5
1750 KW, CUMMINS 1750QNB-60, 2006, 1500 RPM, GAS, 13800 V/3/60 HZ, ENCL	14
1750 KW, WORTHINGTON SWAGO-8, 2400/4160 V/3/60 HZ, 450 RPM	1
2000 KW, CATERPILLAR 3516, 4160 V/3/60 HZ, S/A ENCLOSURE, NAT GAS	2
2000 KW, MITSUBISHI, S16R-PTAA, 480/277 V/3/60 HZ, 1850 RPM, DUAL FUEL	1
2400 KW, COOPER SUPERIOR 2416G, 1999, 13800 V/3/60 HZ, NATURAL GAS, ENCL	2
2500 KW, RUSTON 16RK3C, 4160 V/3/60 HZ, TAIL GAS ENGINE GENSETS	2
3075 KW, ENTERPRISE DELAVAL DGSRV12-3, 1972, 4160 V/3/60 HZ, 400 RPM	2
3200 KW, SULZER 8ZL 40/48, LEROY SOMER, 1984, 11000 V/3/50 HZ, 500 RPM, HFO	1
3300 KW, SULZER ZGODA 6ZL 40/48, 1994, 6300 V/3/50 HZ, 600 RPM, HFO	6
3400 KW, DEUTZ, TBG632V16, 6600 V/3/50 HZ, NATURAL GAS	3
3500 KW, ENTERPRISE DGSRV12-4, 7200/12470 V/3/60 HZ, 400 RPM	1
3950 KW, NIIGATA 12V32CLX(1), TOYO-DENKI, 2001, 11000 V/3/50 HZ, 600 RPM, HFO	1
4100 KW, ENTERPRISE DELAVAL DGSRV16-3, 1972, 4160 V/3/60 HZ, 400 RPM	3
4110 KW, WARTSILA 18V28SG, 13800 V/3/60 HZ, 900 RPM, 2001, NEW	2
5600 KW, NIIGATA V40X, TOSHIBA, 1973, 11000 V/3/50 HZ, 429 RPM, HFO	1
5790 KW, WARTSILA VASA 16V32D, 1991, 11000 V/3/50 HZ, 750 RPM, HFO	3
5800 KW, SEMT PIELSTICK 16 PC3V,1993, 6600 V/3/50 HZ, 5000 RPM DIESEL/HFO	2
5800 KW, WARTSILA 16V32D, 1990, 11000 V/3/50 HZ, 750 RPM, HFO	2
6250 KW, M.A.N., No. K7Z70-120D, 150 RPM, 7800 KVA 0.8 PF, 13.8 KV, 326 AMP	1
6750 KW, MAN 7L48/60, LEROY SOMERS, 1996, 6000 V/3/50 HZ, 500 RPM, HFO	2
7000 KW, DELAVAL ENTERPRISE DGSRV-16-4, 1987, 4160 V/3/60 HZ, 450 RPM	2
7249 KW, DEUTZ BV 16M 640, 1992, 11000 V/3/50 HZ, 600 RPM, HFO	5
9680 KW, MAN 16V40/54, 1986, 11000 V/3/50 HZ, 600 RPM, HFO	4
10450 KW, MAN B&W 9L 58/64, 1992, 11000 V/3/50 HZ, 428 RPM, HFO	2
10500 KW, MAN B & W 9L 58/64, 1992, 11000 V/3/50 HZ, 428 RPM, HFO	3
10560 KW, SULZER 16ZAV40S, BRUSH, 1988, 11000 V/3/50 HZ, 500 RPM, HFO	2
10800 KW WARTSILA HFO GENSETS, 50 HZ, 450 RPM, 1993	3
12600 KW, SEMT PIESTICK 18 PC3V, 1974, 10500 V/3/50 HZ, 428 RPM, DIESEL/HFO	2
18450 KW, ENTERPRISE DELAVAL DGSRV12-3/16-3, 4160 V/3/60 HZ, 400 RPM	1
26400 KW, SULZER, 1994, 6300 V/3/50 HZ, 600 RPM, DIESEL/HFO	1
72160 KW, NIIGATA SEMT-PIELSTICK,18 PC2-6, 19993, HFO, 10.5 KV, 50 HZ	1

## Steam Turbine Driven Condensing Generators

Qty

1250 KW, Inlet 525 PSIG/825 *f, GE, 440 V/3/60HZ, CONDENSING	1
1500 KW, Inlet 525/618 PSIG, 450 V., WESTINGHOUSE, 825*F, 450 VOLT, 1200 RPM	5
2500 KW, 40 PSIG, 2400 V., Westinghouse, Condensing, 15PSI, Extractor	1
2500 KW, Inlet 365/600 PSIG, 440 V., WESTINGHOUSE, 440 VOLT, 6946/1200 RPM	1
2500 KW, TURBODYNE, 400 PSIG/448 *F-10.2" HGA,480/3/60 HZ	2
2915 KW, Inlet 275 PSIG/570*f, exh: 3"hga, 4160 V/3/60 hz, 1984	1
3750 KW, Inlet 600 PSIG/675 deg f, AE 80 & 5 PSIG, EXH: 2"HGA, 13.8 KV/60 HZ	1
5000 KW, Inlet 750 PSIG/750 *F, EXH: 4" HGA, ELLIOTT, 1980	1
5000 KW, Inlet 250 PSIG, 4160 V., TURBODYNE WOOD FIRED POWER PLANT	1
5000 KW, Inlet 400 PSIG/750 *F, AE 15 PSIG, EXH 4" HGA, MURRAY, 1983,13.8 KV	1
5000 KW, Inlet 420 PSIG @ 662* F, 11000 V/3/50 HZ, PETERBROTHERHOOD, UNUSED	1
5000 KW, Inlet 600 PSIG @ 625 DEG F, 4160 V., WESTINGHOUSE, 1957, 185 PSI EXT	1
5000 KW, 4160 V/3/60 HZ, 850 PSIG @ 900 DEG. F, WOOD FIRED POWER PLANT, 1990	1
5000KW/6666KVA, 4160V., Orenda, Model OTF-370,Trailer Mntd Pwr Plnt,3600RPM	1
5200 KW, Inlet 551 PSIG @ 707 DEG F, 11000 V/50 HZ, ESCHER-WYSS, EXT. 174 PSI-1	1
6000 KW, Inlet 171 PSIG @ 572 DEG F, 6300 V/3/50 HZ, BLOHM & VOSS, '87, 3000 RPM	1
6000 KW, Inlet 450 PSIG @ 750 DEG F, 13800 V, GENERAL ELECTRIC, 3600 RPM	1
6900 KW, ASEA, Stal Turbine, Brush Generator, Graham Condensor, Like New, 1992	1
7000 KW, 4160 V/3/60 HZ, 1800 RPM, HAS BOTH LOW & HIGH PRESSURE TURBINES, 1992	1
7500 KW, Inlet 550 PSIG @ 825 DEG. F, 2400/4160 V/3/60 HZ, ALLIS CHALMERS	2
7500 KW, Inlet 850 PSIG/825 *F, 2" HG, 50 PSIG, EXT., 4160 V, GE, 1959, 3600 RPM	1
9400 KW, Inlet 900 PSIG @ 825 DEG. F, 12000 V/3/60 HZ, FUJI, 1800 RPM	1
10000 KW, Inlet 64 bar/515 deg c, Ext. 21/13/1.2 Exh. Cond, 6300 v/3/50 hz	1
10000 KW, Inlet 900 PSIG @ 842 DEG F, EXT. 200 PSIG, 6600 V/3/50 HZ, BBC, 1978	1
9375 KW, Inlet 850 PSIG/825*F,AE 160 PSIG, 2" HG, 4160 V., TOSHIBA, 1967	1
11600 KW, Inlet 625 PSIG/750 DEG F, AE 150 PSIG/30 PSIG, EXH 4" HGA, 13.8 KV/60	1
12500 KW, Inlet 600 PSIG, 12500 V., WESTINGHOUSE, 1955, 825* F, 3600 RPM	1
12500 KW, Inlet 600 PSIG, 13200 V., ELLIOTT, 825*F, 3600 RPM, 15625 KVA, 0.8PF	2
12500 KW, Inlet 600 PSIG @ 750 DEG F, 13800 V/3/60 HZ, WESTINGHOUSE, 1949	1
12500 KW, Inlet 1250 PSIG/950 DEG F, 13800 V/3/60HZ., GE, 1959	1
12700 KW, Inlet 512 PSIG @ 824 DEG F, 6300 V/3/50 HZ, SIEMENS, 1969, 1500 RPM	1
16500 KW, Inlet 850 PSIG, WESTINGHOUSE, 1958, 900* F, 3600 RPM, 937 AMP	1
17000 KW, Inlet 580 PSIG @ 860 DEG F, 5500 V/3/50 HZ, ALSTHOM, 1965	3
17500 KW, Inlet 580 PSIG @ 860 DEG F, 5500 V/3/50 HZ, ALSTOM, 1969, 3000 RPM	3
17000 KW, Inlet 850 PSIG/900*F, 13800 V., GE, 1884, WOOD FIRED POWER PLANT	1
18375 KW, Inlet 900 PSIG/900 DEG F, EXH: 2" HGA, 12470 V., TURBODYNE, 1985	1
19000 KW, Inlet 75 PSIG/308*f, Exh: 4" HGA	1
20000 KW, Inlet 850 PSIG @ 900 DEG. F, 13800 V/3/60 HZ,GE, 3600 RPM	2
22000 KW, Inlet 850 PSIG @ 900 DEG. F, 13.8 KV/3/60 HZ, GE, 1.5"HG ABS, 3600 RPM	1
22000 KW, Inlet 850 PSIG @ 900 DEG F, 13800 V., GENERAL ELECTRIC, 1955	1
22500 KW, Inlet 600 PSIG/750 DEGF, AE 140 PSIG, EXH:1.5" HGA, 13.8 KV, 1993	1
25000 KW, Inlet 850 PSIG/825*f, 13800 V/60 hz., GE, GE, 1967	1
26500 KW, Inlet 850 PSIG/900 deg f, exh; 2.5" HGA, GE, 12500 v/3/60 HZ	1
26900 KW, Inlet 2000 PSIG, 13800 V., MITSUBISHI, 1987	1
30000 KW, Inlet 400 PSIG @ 700 DEG. F, 13800 V/3/60 HZ, GE, 1800 RPM	2
30000 KW, WESTINGHOUSE, INLET 850 PSIG/825 *F, AE 55 PSIG, EXH 3"HGA,13.8 KV/60H	1
33000 KW, Inlet 850 PSIG/900 *f, EXH: 2"HGA, 13800 V., GE	2
34000 KW, Inlet 885 PSIG, 6600 V., STAL LAVAL, 1966, 3/50 HZ, 3000 RPM	1

**Steam Turbine Driven Condensing Generators - (continued)**

**Qty**

37000 KW, Inlet 850 PSIG/900°F EXH; 2.5" HGA, 13800 V., BBC, 1963	1
40000 KW, Inlet 988 PSIG @ 752 DEG. F, 10500 V/3/50 HZ, BBC, 1974	2
40000 KW, Inlet 2048 PSIG @ 977 DEG F, 10500 V/3/50 HZ., MAN, 1962	1
42000 KW, Inlet 350 PSIG @ 750 DEG. F, 11 KV/3/60 HZ, GE, 1930, 1800 RPM	1
50000 KW, Inlet 1250 PSIG/950 *F C COAL FIRED POWER PLANT	1
50000 KW, Inlet 1450 PSIG @ 1000 DEG F, 13800 V., ENGLISH ELECTRIC, 1961	1
56000 kW DELAVAL, INLET: 1250 PSIG/950 *F, EXH:2.5" HGA, 13.8 KV3/60HZ	1
60000 KW, Inlet 900 PSIG@ 900 DEG. F, 16000 V/3/50 HZ, AEI, 3000 RPM, 1967	5
60000 KW, Inlet 1250 PSIG @ 950 DEG. F, 12500 V/3/60 HZ, GE, 3600 RPM	2
66000 KW, Inlet 1250 PSIG, GENERAL ELECTRIC, 1952, 950* F, 3600 RPM	2
70000 KW, Inlet 2031 PSIG @ 977 DEG. F, 10500 V/3/50 HZ, 3000 RPM, SIEMENS	1
75300 KW, Inlet 2400 PSIG/1050 * 15000 V/3/50 HZ, MITSUBISHI, 1995	1
85000 KW, WESTINGHOUSE, Inlet 386 PSIG,1000°F, EXH:1.5" HG, 14400 V	1
88968 KW, Inlet 1450 PSIG/1000°F. RH:1000°F, 14400 V., GE, 1961	1
105000 KW, GENERAL ELECTRIC, Inlet 1250 PSIG, 950°F, EXH: 3" HG, 13800V	1
117000 KW, Inlet 1800 PSIG @ 1000 DEG F, 13800 V/3/50 HZ, AEI, 3000 RPM	3
120000 KW, Inlet 1450 PSIG @ 1000 DEG. F, 13800 V/3/60 HZ, GENERAL ELECTRIC	1
125000 MW, GE, 1250 PSIG/950 deg F inlet, Cross-Compound Gen Set	1
125000 KW, Inlet 1250 PSIG @ 950 DEG F, 13800 V, 3600 RPM, WESTINGHOUSE, 1945	1
125000 KW, Inlet 1800 PSIG @ 1000 DEG F, 13800 V., GE, 3600 RPM, TANDEM COMPOUND	1
125000 KW, Inlet 1800 PSIG @ 1000 DEG F, 13800 V., WESTINGHOUSE, 3600 RPM]	1
125000 KW, Inlet 2000 PSIG @ 1050 DEG F, 16000 V/3/60 HZ, GE, 3600 RPM	1
132000 KW, Inlet 1525 PSIG, GENERAL ELECTRIC, 1005* F, 3600 RPM	1
142000 KW, Inlet 1525 PSIG, WESTINGHOUSE, 1951, 1005* F, 3600 RPM, COAL/OILGAS	1
158955 KW, Inlet 1300 PSIG/950 *F, Exh. 2" HGA, 18 KV, 1990	2
160000 KW, Inlet 1800 PSIG, 13800 V., GE, 1955,Reheat, Cross Compound	2
160000 KW, Inlet 1900 PSIG/1050 DEG F, 18000 V/3/60 HZ, ALSTOM 3600 RPM	1
178000 KW, Inlet 1800 PSIG, General Electric (1974), 1000 F, 21 Stage Gas	1
180000 KW, Inlet 2625 PSIG @ 995 DEG F, 10500 V/3/50 HZ, ABB, 1968, 3000 RPM	2
185000 KW, Inlet 485 PSIA, 18000 V., WESTINGHOUSE, 464* F, 1.5"HG ABS EXH	1
185000 KW, Inlet 2350 PSIG @ 1050 DEG. F, 13800 V/3/60 HZ, WESTINGHOUSE, 1955	1
190000 KW, Inlet 1800 PSIG, General Electric (1977), 1000 F, 20 Stage Gas	1
225000 KW, Inlet 2000 PSIG, 18000 V., GENERAL ELECTRIC, 1050* F, 3600 RPM	2
250000 KW, Inlet 1800 PSIG, 19000 V/3/50 HZ MITSUBISHI,541°C, 3000 RPM, UNUSED	1
300000 KW, Inlet 2400 PSIG, 17000 V., GEC, 1981, OIL FIRED, 1004* F, 1" HG	1
240000 KW, GE, D11 , 18 KV, 3 PHASE, 60 HZ, UNUSED, 2001	1
1130000 KW, Inlet 875 PSIG, GENERAL ELECTRIC, 1800 RPM, 1280 MVA 0.8 PF	1

**Steam Turbine Driven Non-Condensing Generators****Qty**

2700 KW, Inlet 65 bar/500 deg c, exh: 11 bar, 6.3 kv, 3/50 hz	1
3000 KW, Inlet 400 PSIG/575°F, Exh. 50 PSIG, GE, 4160 V/2400 V/3/60 HZ	1
3000 KW, Inlet 600 PSIG @ 600 DEG F, 100 PSIG EXH. 13800 V., 1951, DRESSER-RAND	1
3000 KW, Inlet 600 PSIG, Exh. 135 PSIG, GE, 1950, 11.5 KV, 3 PHASE, 60 HZ	1
3015 KW, Inlet 302 PSIG/570°F, Exh. 75 PSIG, WEST, 4160 V/3/60HZ,1989	1
3125 KW, General Electric, 4160 V, 600 lbs Steam Pressure, 20 lbs Back pressure	1
3336 KW, Westinghouse, 300-350 PSIG, 570 Deg F, 20-75 Lb BP, Exh 4160V	1
3750 KW, Inlet 360 PSIG/720°F, Exh. 40 PSIG, AC, 4160 V/3/60HZ	1
4300 KW, Inlet 450 PSIG @ 750 DEG F, Exh. 150 PSIG, GENERAL ELECTRIC, 3600 RPM	1
4200 KW, PETER BROTHERHOOD, 10000 V, 1973	1
5000 KW, WH ALLEN SONS, Inlet 625 PSIG, Exh. 30 PSIG, 3300 V, 1968	1
5000 KW, Inlet 650 PSIG, Exh. 200 PSIG, GENERAL ELECTRIC, 1940, 750°F	1
5300 KW, Inlet 270 PSIG/500 °F., EXT: 170 PSIG, EXH: 35 PSIG, 1985, 13.8 KV	1
6000 KW, Inlet 508 PSIG @ 824 DEG F, ZAMECH-ELBLAG, 1990, 29 PSIG BP, 6.3 KV NEW	1
7000 KW, Inlet 65 bar/480 deg c, Ext. 17 bar, Exh. 5 bar, 6300 v/3/50 hz	1
7500 KW, Inlet 60 bar/500 deg f, exh: 3.5 bar, 3.15 kv, 50 hz	1
15500 KW, Inlet 59 BAR/500 DEG C, EXT: 3.5 BAR , EXH: 1.5 BAR, 10.5 KV, 50 HZ	1
23000 KW, Inlet 1285 PSIG @ 760 DEG. F, Exh. 3 PSIG, GE, 11 KV/3/60 HZ, 1957	1
23200 KW, Inlet 1285 PSIG @ 760 DEG. F, Exh. 2.46 PSIG, GE, 11 KV/3/60 HZ	1
25000 KW, Inlet 1066 PSIG @ 928 DEG F, 6.3 KV, 246 PSI EXT, 64 BP, SIEMENS, 1990	1
25000 KW, Inlet 80 BAR/480 DEG C, EXH: 4 BAR, SIEMES, 1972, 10.5 KV, 50 HZ	1
25600 KW, GE, 1400 Lbs Steam Press, 260 Lbs Extraction, 5 Lbs Back Pressure, 13800V	1
27026 KW, Inlet 1200 PSIG/950°F, Exh. 150 PSIG, GE, 1992, 13800 v/3/60 hz	1



### 3 Phase AC Generators

Qty

1769 KVA, 900 RPM, 2400/4160 V/3/60 HZ, RELIANCE ELECTRIC, 1415 KW CONTINUOUS	1
1875 KVA, 900 RPM, 12500 V WYE/3/60 HZ, KATO, 1500 KW	1
2250 KVA, 900 RPM, 2400 V., GE, 1968, 1800 KW	2
2400 KVA, 1005 RPM, 6000 V/3/50 HZ, TIBB, 1987	2
2500 KVA, 720 RPM, 2400/4160 V/3/60 HZ, IDEAL, TWO BEARING	2
2500 KVA, 1800 RPM, 4160 V/3/60 HZ, ELECTRIC MACHINERY, FRAME 737, 2 BEARING	1
3125 KVA, 900 RPM, 2400/4160 V/3/60 HZ, BELOIT, REBUILT, 2500 KW	1
3125 KVA, 1800 RPM, 480 V., IDEAL, 1982, TWO BEARING	2
3125 KVA, 1800 RPM, 2400 V/4160 V/3/60 HZ, LOUIS ALLIS, 2500 KW	3
3125 KVA, 1800 RPM, 4160 V/3/60 HZ., IDEAL, 1975, 2500 KW	1
3200 KVA, 900 RPM, 13200 V/3/60 HZ, ABB, 2000, UNUSED, 2560 KW	2
3500 KVA, 1000 RPM, 6.3 KV OR 3.3 KV, 50/60 HZ), SIEMENS, 1993, NEW	1
3750 KVA, 1800 RPM, 13200 V/3/60 HZ., GENERAL ELECTRIC, 3000 KW, 1984	1
3750 KVA WESTINGHOUSE GENERATOR, 3600 RPM, 13800 VOLTS, 3/PH/60 HZ	3
4375 KVA, 327 RPM, 4160 V/3/60 HZ, WESTINGHOUSE, 1957, 3500 KW, OVERHAULED	2
5400 KVA, 1000 RPM, 11000 V/3/50 HZ, KATO, 1995	1
5522 KVA, 1500 RPM, 10500 V/3/50 HZ, GEC ALSTHOM, 1993, 4400 KW	1
6250 KVA, 3600 RPM, 13800 V/3/60 HZ, GENERAL ELECTRIC, 1940, 5 MW	1
6950 KVA, 514 RPM, 11000 V3/60 HZ OR 50 HZ, ABB, 1998, 5560 KW, BRAND NEW	4
7695 KVA, 1800 RPM, 4160 V/3/60 HZ, BRUSH, 1992, 7000 KW	1
8000 KVA, 1800 RPM, 4160 V/3/60 Hz., ALSTOM, 2003,UNUSED, AIR COOLED	2
8125 KVA, 1800 RPM, 4160 V., IDEAL, 1999, 6500 KW, 6 LEAD	8
9270 KVA, 514 RPM, 11000 V3/60 HZ OR 50 HZ, ABB, 1998, 7416 KW, BRAND NEW	2
9375 KVA, 3600 RPM, 11500 V/3/60 HZ, WESTINGHOUSE, 7500 KW	1
11111 KVA, 1800 RPM, 12000 V/3/60 HZ, IDEAL, 2000, 10 MW	1
12500 KVA, 1800 RPM, 13800 V/3/60 HZ, IDEAL, NEW, 10000 KW	1
12500 KVA, 1800 RPM, 7968/13800 V/3/60 HZ, KATO, 1998, 10 MW	1
14000 KVA, 3600 RPM, 4160 V/3/60 HZ, BROWN BOVERI, 11900 KW	1
17500 KVA, 1800 RPM, 13800 V., ENGLISH ELECTRIC, 1968	1
19200 KVA, 900 RPM, 13800 V., WESTINGHOUSE, 1968, 16320 KW	1
21000 KVA, 3600 RPM, 13800 V/3/60 HZ, MITSUBISHI, 1967	2
23000 KVA, 3600 RPM, 12600 V/3/60 HZ, GENERAL ELECTRIC, 19550 KW	1
25156 KVA, 3600 RPM, 13800 V/3/60 HZ, ELECTRIC MACHINERY, 23144 KW	1
27687 KVA, 3600 RPM, 13200 V/3/60 HZ., HITACHI	1
29529 KVA, 3600 RPM, 13800 V/60 HZ, ELECTRIC MACHINERY, REWOUND	1
30313 KVA, 3600 RPM, 13800 V/3/60hz, HITACHI FRAME 5P GENERATOR END	1
31250 KVA, 3000 RPM, 11000 V/3/50 HZ, ACEC, 1970'S	1
32000 KVA, 3600 RPM, 11500 V/3/60 HZ, WESTINGHOUSE, 1963, 30 PSIG HYDROGEN	1
33300 KVA, 3600 RPM, 13800 V., ELECTRIC MACH'Y, 1975	1
37000 KVA, 3600 RPM, 13800 V/3/60 HZ, BRUSH, 1974, 31450 KW	1
72000 KVA, WESTINGHOUSE, 13800 V/3/60 HZ, 62500 KW, 1945, 3600 RPM	1
78300 KVA, 3600 RPM, 13800 V., BBC, 1985, 2 BEARING, TEWAC	1
150000 KVA, 400 RPM, 13800 V/3/60 HZ, ABB, 135 MW, UNUSED	2
192000 KVA, 3600 RPM, 13800 V/3/60 HZ, WESTINGHOUSE, 1998, 163200 KW	1
323000 KVA, 3600 RPM, 21000 V/3/60 HZ, ALSTOM, 2001, Stator Only, Unused	1
493300 KVA, 3600 RPM, 22000 V., GENERAL ELECTRIC, 0.9 PF, TYPE ATB, 2 POLES	1